



NORMA	MATERIAŁ	KLASA	POWŁOKA
DIN 463 PN 82022	stal stal nierdzewna A2		ocynk galwaniczny

<i>d</i>	M3	M3,5	M4	M5	M6	M8	M10	M12	M14	M16
<i>d</i> ₁	3,2	3,7	4,3	5,3	6,4	8,4	10,5	13	15	17
<i>d</i> ₂	7	8	9	10	12,5	17	21	24	28	30
<i>b</i>	4	4	5	6	7	8	10	12	12	15
<i>s</i>	0,38	0,38	0,38	0,5	0,5	0,75	0,75	1	1	1
<i>l</i> ₁	13	13	14	16	18	20	22	28	28	32
<i>l</i> ₂	5	5,5	6,5	8	9	11	13	15	16	18

<i>d</i>	M18	M20	M22	M24	M27	M30	M33	M36	M39
<i>d</i> ₁	19	21	23	25	28	31	34	37	40
<i>d</i> ₂	34	37	39	44	50	56	60	66	72
<i>b</i>	18	18	20	20	23	26	28	30	32
<i>s</i>	1	1	1	1	1,6	1,6	1,6	1,6	1,6
<i>l</i> ₁	36	36	42	42	48	52	56	60	64
<i>l</i> ₂	20	21	23	25	29	32	34	38	41